



agriduarte
indústria



CAPINADEIRAS

ROTARY CUTTERS

GYROBROYEURS





• CPR 1.8 H FX

SÉRIE FLORESTAL DESCENTRÁVEL FX | SÈRIE FORESTIÈRE DESCENTRABLE FX | FOREST DESCENTRABLE FX SERIES

MODELO	MODÈLE	MODEL	CPL 1.3 H-FX	CPL 1.4 H-FX	CPL 1.5 H-FX	CPR 1.5 H-FX	CPR 1.8 H-FX
CÓDIGO	CODE	CODE	470070530	470070540	470070550	470070551	470070580
LARGURA DE TRABALHO (mm)	LARGEUR DE TRAVAIL (mm)	WORKING WIDTH (mm)	1300	1400	1500	1500	1800
LARGURA EXTERIOR (mm)	LARGEUR EXTERIEUR (mm)	OUTER WIDTH (mm)	1400	1500	1600	1700	1900
DESCENTRAMENTO (DT/ESQ.) (mm)	DÉPLACEMENT (DROITE / GAUCHE) (mm)	DISPLACEMENT (RIGHT/LEFT) (mm)	200	200	250	250	250
SISTEMA DE CORTE- CORRENTES	SYSTÈME DE COUPE – CHÂÎNES	CUTTING SYSTEM – CHAINS	2 - G80-16	2 - G80-16	2 - G80-16	4 - G80-20	4 - G80-20
SISTEMA DE ENGATE DE CORRENTES – UNIÃO RÁPIDA	SYSTÈME DE COUPLAGE DES CHAINES - UNION RAPIDE	CHAINS COUPLING SYSTEM - FAST UNION	OK	OK	OK	OK	OK
POTÊNCIA RECOMENDADA - TRATOR (hp)	PUISSANCE RECOMMANDÉE - TRACTEUR (hp)	RECOMMENDED POWER – TRACTOR (hp)	35-55	40-60	50-70	60-80	80-110
CARDAN	CARDAN	CARDAN	CAT 4-EMB	CAT 5-EMB	CAT 5-EMB	BYPY G7-EMB	BYPY SFT-S9
GRUPO DE ENGRENAGENS (hp)	GROUPE ENGRENAGE (hp)	GEAR GROUP (hp)	AGD6 (60)	AGD6 (60)	AGD6 (60)	BYPY 3070 (75)	BYPY 3070 (75)
ENGATE - CAVILHAS DE 3º PONTO CAT. I/II	ATTELAGE - BOULONS 3ème POINT CAT. I/II	COUPLING - PINS 3rd POINT CAT. I/II	OK	OK	OK	OK	OK
DISCOS – DIAMETRO (mm)	DISQUES - DIAMETRE (mm)	DISCS - DIAMETER (mm)	300	300	350	370	480/HB 450
ESPESSURA DA ESTRUTURA (mm)	ÉPAISSEUR DE LA STRUCTURE (mm)	STRUCTURE THICKNESS (mm)	6	6	6	8	8
PESO (kg)	POIDS (kg)	WEIGHT (kg)	400	430	470	570	865

NOTAS | NOTES | NOTES: Cor do Equipamento: Vermelho RAL 3020 | Couleur de l'Équipement: Rouge RAL 3020 | Main Color of Equipment: Red RAL 3020;

SISTEMA DE CORTE SYSTÈME DE COUPE CUTTING SYSTEM  2 - G80 - 16 4 - G80 - 20	GRUPO DE ENGRENAGENS GROUPE D'ENGRENAGES GEAR GROUP  AGD60 BYPY 3070 AGRIDUARTE (€) BONDOLI PAVESI (75 hp)	SISTEMA DE LIMITAÇÃO DE ESFORÇO NO CARDAN SYSTÈME DE LIMITATION DE L'EFFORT EN CARDAN SYSTEM OF LIMITATION OF EFFORT IN CARDAN  EMB
--	---	--



	MOD. EXTRA	DESIGNAÇÃO	DÉSIGNATION	DESIGNATION
	CRD - SRL	CARDAN COM SISTEMA RODA LIVRE	CARDAN AVEC SYSTÈME DE ROUE LIBRE	CARDAN W/OVERRUNNING CLUTCHES SYSTEM
	DHB450CPR	DISCO EM AÇO DE ALTA RESISTENCIA A DESGASTE HB450 (CPR) - (MODELOS: CPR)	DISQUE EN ACIER DE HAUTE RÉSISTENCE À PORTER HB450 (CPR) - (MODÈLES: CPR)	DISK HIGH RESISTANCE TO WEAR STEEL HB450 (CPR) – (MODELS: CPR)
	BHB450	BASE DE CARTER EM AÇO DE ALTA RESISTENCIA A DESGASTE HB450 (ADICIONAR AO VALOR BASE DA MÁQUINA)	PLAQUE DE BASE EN ACIER DE HAUTE RÉSISTENCE À PORTER HB450 (AJOUTER AU VALEUR DE BASE DE LA MACHINE)	SHEET BASE HIGH RESISTANCE TO WEAR STEEL HB450 (ADD TO BASE VALUE OF MACHINE)
	FC-CPL	FACAS DE CORTE - SÉRIE FLORESTAL (CPL H FX)	COUTEAUX DE COUPE - SÉRIE FORESTIÉR (CPL H FX)	CUTTING KNIVES - FOREST SERIES (CPL H FX)
	FC-CPR	FACAS DE CORTE - SÉRIE FLORESTAL REFORÇADA (CPR H FX)	COUTEAUX DE COUPE - SÉRIE FORESTIÉR RENFORCÉE (CPR H FX)	CUTTING KNIVES - REINFORCED FOREST SERIES (CPR H FX)
	ABR-CPR	ABATE RAMOS COM AFINAÇÃO – SÉRIE FLORESTAL REFORÇADA	RABATTEUR DE BRANCHES AVEC AJUSTEMENT - SÉRIE FORESTIÉR RENFORCÉE	DOWN BRANCHES FRAME WITH ADJUSTMENT - REINFORCED FOREST SERIES