



agriduarte
indústria



GRUAS AGRÍCOLAS

AGRICULTURAL CRANES

GRUES AGRICOLES

**GRUAS AGRICOLAS
GRUES AGRICOLES
AGRICULTURAL CRANES**



• GHL-R



• GHL



• GHF




• GH

MODELO	MODÈLE	MODEL	GF	GH F	GH	GH L	GH L-R
CÓDIGO	CODE	CODE	470020001	470020006	470020002	470020003	470020008
ALCANCE MÁXIMO (m)	PORTÉE MAXIMALE (m)	MAXIMUM RANGE(m)	2.10	3	3	3	3
MOMENTO DE ELEVAÇÃO (kN.m)	FORCE D'ELEVATION MOMENT (kN.m)	LIFTING MOMENT (kN.m)	---	11.5	11.5	11.5	11.5
SISTEMA HIDRAULICO DE DUPLO EFEITO	SYSTÈME HYDRAULIQUE À DOUBLE EFFET	DOUBLE-EFFECT HYDRAULIC SYSTEM	---	OK	OK	OK	OK
LANÇA EXTENSIVEL HIDRAULICA	RALLONGE TÉLESCOPIQUE HIDRAULIQUE	HIDRAULIC TELESCOPIC EXTENSION	---	---	---	OK	OK
LANÇA EXTENSIVEL MANUAL	RALLONGE TÉLESCOPIQUE MANUEL	MANUAL TELESCOPIC EXTENSION	---	OK	OK	---	---
MOMENTO DE ROTAÇÃO (kN.m)	FORCE DE ROTATION MOMENT (kN.m)	ROTATION MOMENT (kN.m)	---	---	---	---	6.7
ANGULO DE ROTAÇÃO	ANGLE DE ROTATION	ROTATION ANGLE	---	---	360°	360°	340°
SISTEMA DE ROTAÇÃO PINHÃO/CREMALHEIRA	SYSTÈME DE ROTATION CREMAILLÈRE ET PIGNON	ROTATION SYSTEM RACK AND PINION	---	---	---	---	OK
SISTEMA DE ROTAÇÃO MANUAL	SYSTEME DE ROTATION MANUELLE	ROTATION SYSTEM MANUAL	---	OK	OK	OK	---
COMANDO HIDRAULICO	DISTRIBUTEUR HIDRAULIQUE	HIDRAULIC VALVE	---	---	---	OK	OK
LINHAS HIDRAULICAS NECESSARIAS (2 DUPLO EFEITO)	LIGNES HYDRAULIQUES NÉCESSAIRES (2 DOUBLE EFFET)	HYDRAULIC LINES NECESSARY (2 DOUBLE ACTING)	---	OK	OK	OK	OK
PRESSÃO DE TRABALHO RECOMENDADA (bar)	PRESSIION DE TRAVAIL RECOMMANDÉE (bar)	RECOMMENDED WORK PRESSURE (bar)	---	180	180	180	180
ENGATE - CAVILHAS DE 3º PONTO CAT. I/II	ATTelage - BOULONS 3ème POINT CAT. I/II	COUPLING - PINS 3rd POINT CAT. I/II	OK	OK	OK	OK	OK
ESTABILIZADOR DOS 3 PONTOS	STABILISATEUR DE 3 POINTS	STABILIZER OF 3 POINTS	---	---	---	---	OK
SAPATAS DE APOIO	PIED DE SUPPORT	SUPPORT PAD	---	OK	OK	OK	OK
GANCHO COM DESTROCEDOR	HOOK Á ÉMERILLON	HOOK WITH SWIVEL	OK	OK	OK	OK	OK
PESO (kg)	POIDS (kg)	WEIGHT (kg)	40	105	120	145	195

NOTAS | NOTES | NOTES: Cor do Equipamento: Vermelho RAL 3020 | Couleur de l'Équipement: Rouge RAL 3020 | Main Color of Equipment: Red RAL 3020;

CARACTERÍSTICAS TÉCNICAS CARACTERISTIQUES TECHNIQUES TECHNICAL CHARACTERISTICS



LARGURA | LARGEUR | WIDTH
GF | GH F | GH | GH L = 0,95 m
GHL-R = 1,27 m

COMANDOS E SISTEMAS HIDRAULICOS OPCIONAIS
COMMANDES ET SYSTÈMES HYDRAULIQUES OPTIONNELS
OPTIONALS COMMANDS AND HYDRAULIC SYSTEMS

	MOD. EXTRA	DESIGNAÇÃO	DÉSIGNATION	DESIGNATION
	GH-HD 1 L AUX	SISTEMA HIDRAULICO AUXILIAR 2 SAIDAS (e)	SYSTÈME HYDRAULIQUE AUXILIAIRE 2 SORTIES (a)	AUXILIARY HYDRAULIC SYSTEM 2 OUTPUTS (a)
	GH-HD 2 L AUX	SISTEMA HIDRAULICO AUXILIAR 4 SAIDAS (f)	SYSTÈME HYDRAULIQUE AUXILIAIRE 4 SORTIES (a)	AUXILIARY HYDRAULIC SYSTEM 4 OUTPUTS (a)
	C-2F CB	COMANDO A DISTÂNCIA POR CABOS 2 ALAVANCAS (b)	TÉLÉCOMMANDE À TELEFLEXIBLES PAR 2 LEVIERS (b)	COMMAND DISTANCE FOR CABLE 2 LEVER (b)
	C-3F CB	COMANDO A DISTÂNCIA POR CABOS 3 ALAVANCAS (a)	TÉLÉCOMMANDE À TELEFLEXIBLES PAR 3 LEVIERS (a)	COMMAND DISTANCE FOR CABLE 3 LEVER (a)

NOTAS | NOTES | NOTES: (a) Aplicável ao modelo GHL-R | Applicable au modèle GHL-R | Applicable to model GHL-R;

(b) Aplicável ao modelo GHL | Applicable au modèle GHL | Applicable to model GHL;

(c) Adicionar sistema GH-HD 1 L AUX | Ajouter système GH-HD 1 L AUX | Add system GH-HD 1 L AUX;

(d) Adicionar sistema GH-HF 2 L AUX | Ajouter système GH-HD 2 L AUX | Add system GH-HD 2 L AUX;

(e) Adicionar quando se utiliza 1 acessório com movimento hidráulico | Ajouter en utilisant 1 accessoire avec mouvement hydraulique | Add when using 1 accessory with hydraulic movement ;

(f) Adicionar quando se utiliza 2 acessórios com movimento hidráulico | Ajouter en utilisant 2 accessoires avec mouvement hydraulique | Add when using 2 accessories with hydraulic movement

ACESSÓRIOS OPCIONAIS
ACCESSOIRES OPTIONNELS
OPTIONAL ACCESSORIES

	MOD. EXTRA	DESIGNAÇÃO	DÉSIGNATION	DESIGNATION
	GF 75	PINÇA FLORESTAL HIDRAULICA (abertura 0.75 m) - (c)	GRAPPIN FORESTIER (ouverture 0.75 m) - (c)	FOREST GRAPLE (opening 0.75 m) - (c)
	GF 90	PINÇA FLORESTAL HIDRAULICA (abertura 0.90 m) - (c)	GRAPPIN FORESTIER (ouverture 0.90 m) - (c)	FOREST GRAPLE (opening 0.90 m) - (c)
	RT1	ROTOR HIDRAULICO 1 TON. (d)	HIDRAULIQUE ROTATOR 1 TON. (d)	HYDRAULIC ROTOR 1 TON. (d)
	PM	PINÇA FLORESTAL MECANICA (abertura 0.80 m)	GRAPPIN FORESTIÈRE MÉCANIQUE (ouverture 0.80 m)	MECHANICAL FOREST GRAPPLE (opening 0.80 m)

NOTAS | NOTES | NOTES: (a) Aplicável ao modelo GHL-R | Applicable au modèle GHL-R | Applicable to model GHL-R;

(b) Aplicável ao modelo GHL | Applicable au modèle GHL | Applicable to model GHL;

(c) Adicionar ao pedido GH-HD 1 L AUX | Ajouter à la commande GH-HD 1 L AUX | Add to order GH-HD 1 L AUX;

(d) Adicionar ao pedido de GH-HF 2 L AUX | Ajouter à la commande GH-HD 2 L AUX | Add to order GH-HD 2 L AUX;

(e) Adicionar quando se utiliza 1 acessório com movimento hidráulico | Ajouter en utilisant 1 accessoire avec mouvement hydraulique | Add when using 1 accessory with hydraulic movement;

(f) Adicionar quando se utiliza 2 acessórios com movimento hidráulico | Ajouter en utilisant 2 accessoires avec mouvement hydraulique | Add when using 2 accessories with hydraulic movement ;