



RETROESCAVADORAS

BACKHOES

PELLES RETRO

**RETROESCAVADORA PARA TRATOR
RÉTROCAVEUSE POUR TRACTEUR
BACKHOE FOR TRACTOR**

• REL 150



• REJ 220



• REP 260




MODELO	MODÈLE	MODEL	REB 130	REL 150	REJ 180	REJ 220	REP 220	REP 260	REP 280	REP 300
CÓDIGO	CODE	CODE	670160014	670160016	670160018	670160022	670160023	670160026	670160028	670160030
ALCANCE MÁXIMO (m)	PORTÉE MAXIMALE (m)	MAXIMUM REACH (m)	2.00	2.50	2.70	3.05	2.90	3.30	3.50	3.80
ALCANCE EM PROFUNDIDADE (m)	PORTÉE DE PROFONDEUR (m)	REACH OF DEPTH (m)	1.30	1.50	1.80	2.20	2.30	2.60	2.80	3.10
FORÇA DE PENETRAÇÃO (kg)	FORCE D'ARRACHEMENT (kg)	BUCKET BREAKOUT FORCE (kg)	1500	1800	2000	2200	2300	2600	2800	2900
LARGURA DE DESLOCAMENTO (m)	LARGEUR DE TRANSLATION (m)	TRAVELING WIDTH (m)	Fix.	1.00	1.20	1.50	1.60	1.80	1.80	1.80
LARGURA BALDE STANDARD (m)	LARGEUR DE GODET STANDARD (m)	WIDTH BUCKET STANDARD (m)	250	250	400	400	400	400	600	600
GRUPO HIDRAULICO	GROUPE HYDRAULIQUE	HYDRAULIC GROUP	OK	OK	OK	OK	OK	OK	OK	OK
COMANDO MULTI-FUNÇÕES	COMMANDE MULTIFONCTION	MULTIFUNCTION CONTROL	OK	OK	OK	OK	OK	OK	OK	OK
BANCO DO OPERADOR INSTALADO	BANQUE D'OPÉRATEUR INSTALLEE	OPERATOR BANK INSTALLED	OK	OK	OK	OK	OK	OK	OK	OK
KIT DE BLOQUEIO OBRIGATORIO EN 16246	KIT DE BLOCAGE OBLIGATOIRE EN 16246	LOCKING DEVICE COMPULSORY EN 16242	OK	OK	OK	OK	OK	OK	OK	OK
POTENCIA NECESSARIA (hp)	PUISSANCE REQUISE (hp)	POWER REQUIRED (hp)	13	15	18	22	30	40	60	70
PESO MINI. DO TRACTOR (kg)	POIDS MIN. TRACTEUR (kg)	MIN. TRACTOR'S WEIGHT (kg)	650	750	1300	1600	1900	2300	2500	2800
PESO (kg)	POIDS (kg)	WEIGHT (kg)	250	300	380	450	570	670	770	860

NOTAS | NOTES | NOTES: Cor do Equipamento: Laranja RAL 2007 | Couleur de l'Équipement: Orange RAL 2007 | Main Color of Equipment: Orange RAL 2007;

CARACTERÍSTICAS TÉCNICAS
CARACTÉRISTIQUES TECHNIQUES
TECHNICAL CHARACTERISTICS

MODELO	MODÈLE	MODEL	REB 130	REL 150	REJ 180	REJ 220	REP 220	REP 260	REP 280	REP 300
A (mm)	A (mm)	A (mm)	1300	1500	1800	2300	2200	2600	2700	3000
B (mm)	B (mm)	B (mm)	1200	1600	1800	2200	1900	2300	2500	2700
C (mm)	C (mm)	C (mm)	1900	2300	2600	2900	2800	3200	3500	3700
D (mm)	D (mm)	D (mm)	2000	2500	2700	3050	2950	3320	3500	3800



**ACESSÓRIOS OPCIONAIS
ACCESSOIRES OPTIONNELS
OPTIONAL ACCESSORIES**

	MOD. EXTRA	DESIGNAÇÃO	DÉSIGNATION	DESIGNATION
---	MRT-P	FIXAÇÃO DA RETROESCAVADORA POR ENGATE RÁPIDO	FIXATION POUR ACCOUPLEMENT RAPIDE	FASTENING FOR QUICK COUPLING
	CMF-CAB-RT	COMANDO A DISTÂNCIA POR CABO 2 ALAVANCAS	TÉLÉCOMMANDE PAR 2 LEVIERS	REMOTE CONTROL BY 2 LEVERS
---	LHAX	LINHA HIDRAULICA AUXILIAR POR PEDAL	LIGNE HYDRAULIQUE AUXILIAIRE PAR PEDALE	AUXILIARY HYDRAULIC LINE BY PEDAL
	RAD-TS	RADIADOR DE ARREFECIMENTO DE ÓLEO (MONTADO)	RADIATEUR DE REFROIDISSEMENT D'HUILE (MONTÉ)	OIL COOLING RADIATOR (MOUNTED)
	CHD	CONTA HORAS DIGITAL (12V)	COMPTE D'HEURE DIGITAL (12V)	DIGITAL HOURMETER (12V)
---	---	REDUÇÃO DE PREÇO (NÃO MONTAR GRUPO HIDRAULICO) (b)	RÉDUCTION DU PRIX (NON ASSEMB. DE GROUPE HYDR.) (b)	PRICE REDUCTION (NOT ASSEMBLING HYDRAULIC GROUP) (b)
---	---	REDUÇÃO DE PREÇO (NÃO MONTAR GRUPO HIDRAULICO) (c)	RÉDUCTION DU PRIX (NON ASSEMB. DE GROUPE HYDR.) (c)	PRICE REDUCTION (NOT ASSEMBLING HYDRAULIC GROUP) (c)
	BEJ250	BALDE DE ESCAVAÇÃO (250 mm) (b)	GODET D'EXCAVATION (250 mm) (b)	EXCAVATOR BUCKET (250 mm) (b)
	BEJ400	BALDE DE ESCAVAÇÃO (400 mm) (b)	GODET D'EXCAVATION (400 mm) (b)	EXCAVATOR BUCKET (400mm) (b)
	BEJ500	BALDE DE ESCAVAÇÃO (500 mm) (Série REJ)	GODET D'EXCAVATION (500 mm) (Série REJ)	EXCAVATOR BUCKET (500 mm) (REJ Series)
	BEP250	BALDE DE ESCAVAÇÃO (250 mm) (c)	GODET D'EXCAVATION (250 mm) (c)	EXCAVATOR BUCKET (250 mm) (c)
	BEP400	BALDE DE ESCAVAÇÃO (400 mm) (c)	GODET D'EXCAVATION (400 mm) (c)	EXCAVATOR BUCKET (400 mm) (c)
	BEP600	BALDE DE ESCAVAÇÃO (600 mm) (c)	GODET D'EXCAVATION (600 mm) (c)	EXCAVATOR BUCKET (600 mm) (c)

NOTAS | NOTES | NOTES: (a) Necessita de uma linha hidráulica auxiliar | Besoin d'une ligne hydraulique auxiliaire | Need auxiliary hydraulic line;
(b) Séries REB - REL - REJ | Séries REB - REL - REJ | REB - REL - REJ Series;
(c) Série REP | Série REP | REP Series;

ACESSÓRIOS OPCIONAIS
ACCESSOIRES OPTIONNELS
OPTIONAL ACCESSORIES

	MOD. EXTRA	DESIGNAÇÃO	DÉSIGNATION	DESIGNATION
	BLJ600	BALDE DE LIMPEZA (600 mm) (Séries REB - REL)	GODET DE NETTOYAGE (600 mm) (Séries REB - REL)	CLEANING BUCKET (600 mm) (REB - REL Series)
	BLJ800	BALDE DE LIMPEZA (800 mm) (Série REJ)	GODET DE NETTOYAGE (800 mm) (Série REJ)	CLEANING BUCKET (800 mm) (REJ Series)
	BLP800	BALDE DE LIMPEZA (800 mm) (c)	GODET DE NETTOYAGE (800 mm) (c)	CLEANING BUCKET (800 mm) (c)
	BLP1200	BALDE DE LIMPEZA (1200 mm) (c)	GODET DE NETTOYAGE (1200 mm) (c)	CLEANING BUCKET (1200 mm) (c)
	BAVJ	BALDE ABRE VALAS (Séries REL - REJ)	GODET EXCAVATION FOSSÉS (Séries REL - REJ)	DITCHING BUCKET (REL - REJ Series)
	BAVP	BALDE ABRE VALAS (c)	GODET EXCAVATION FOSSÉS (c)	DITCHING BUCKET (c)
	MHT60-P	MARTELO HIDRAULICO 60 kg (REJ 220 / REP 220) (a)	MARTEAU HYDRAULIQUE 60 kg (REJ 220 / REP 220) (a)	JACKHAMMER 60 kg (REJ 220 / REP 220) (a)
	MHT90-P	MARTELO HIDRAULICO 90 kg (REP 260 / 280 / 300) (a)	MARTEAU HYDRAULIQUE 90 kg (REP 260 / 280 / 300) (a)	JACKHAMMER 90 kg (REP 260 / 280 / 300) (a)
	CBH	CABEÇA HIDRAULICA PORTA BROCAS PERFURADORAS (a)	TÊTE HYDRAULIQUE PORTE TRARIERE P/TIERRE (a)	HYDRAULIC HEAD FOR COUPLING DRILLING DRIGGERS(a)

NOTAS | NOTES | NOTES: (a) Necessita de uma linha hidráulica auxiliar | Besoin d'une ligne hydraulique auxiliaire | Need auxiliary hydraulic line;
 (b) Séries REB - REL - REJ | Séries REB - REL - REJ | REB - REL - REJ Series;
 (c) Série REP | Série REP | REP Series;

ACESSÓRIOS OPCIONAIS
ACCESSOIRES OPTIONNELS
OPTIONAL ACCESSORIES

	MOD. EXTRA	DESIGNAÇÃO	DÉSIGNATION	DESIGNATION
	BFT100	BROCA PERFURADORA P/TERRA (CBH) 100*1000	TARIERE HYDRAULIQUE P/TIERRE (CBH) 100*1000	HYDRAULIC POST HOLE DIGGER (EARTH) FOR CBH 100*1000
	BFT150	BROCA PERFURADORA P/TERRA (CBH) 150*1000	TARIERE HYDRAULIQUE P/TIERRE (CBH) 150*1000	HYDRAULIC POST HOLE DIGGER (EARTH) FOR CBH 150*1000
	BFT200	BROCA PERFURADORA P/TERRA (CBH) 200*1000	TARIERE HYDRAULIQUE P/TIERRE (CBH) 200*1000	HYDRAULIC POST HOLE DIGGER (EARTH) FOR CBH 200*1000
	BFT300	BROCA PERFURADORA P/TERRA (CBH) 300*1000	TARIERE HYDRAULIQUE P/TIERRE (CBH) 300*1000	HYDRAULIC POST HOLE DIGGER (EARTH) FOR CBH 300*1000
	GF90	PINÇA FLORESTAL (abertura 0,90 m) (a)	GRAPPIN FORRESTÈRIE (ouverture 0,90 m) (a)	FOREST GRAPPLE (opening 0,90 m) (a)
	GB130	PINÇA AGRO FLORESTAL (abertura 1,30 m) (a)	GRAPPIN À FUMIER-FOURRAGE (ouverture 1,30 m) (a)	AGRO-FORESTRY GRAPPLE (opening 1,30 m) (a)
	RT1	ROTOR HIDRAULICO 1 TON. (a)	ROTATEUR HIDRAULIQUE 1 TON. (a)	HYDRAULIC ROTATOR 1 TON. (a)

NOTAS | NOTES | NOTES: (a) Necessita de uma linha hidráulica auxiliar | Besoin d'une ligne hydraulique auxiliaire | Need auxiliary hydraulic line;
 (b) Séries REB - REL - REJ | Sèries REB - REL - REJ | REB - REL - REJ Series;
 (c) Série REP | Série REP | REP Series;